

# **SIDDHITECH STAINLESS COMPANY**



**YOUR  
ULTIMATE DESTINATION FOR  
KITCHEN,  
BATHROOM AND  
INDUSTRIAL DRAIN  
FITTINGS IN INDIA**



**PRECISION IN EVERY DRAIN**  
**STRENGTH IN EVERY DROP**

**Shower Drain Channels | Floor Drain Gratings  
Kitchen Drains | Industrial Drains | Pharmaceutical Scoops**

# INDEX

Sr. No.	Contents	Pg No.
01.	ABOUT SSCO	03.
02.	SHOWER DRAIN CHANNELS	04-08.
03.	FLOOR DRAIN GRATINGS	09-12.
04.	TRAP SERIES	12.
05.	KITCHEN DRAIN CHANNELS	13-16.
06.	INDUSTRIAL DRAINS (CHANNEL/SLOT DRAINS)	17-24.
07.	PHARMACEUTICAL SCOOPS	25-26.
08.	OUR PROJECT LIST	27.
09.	CONTACT US	28.

## About Us :

Founded in August 2009, Siddhitech Stainless has been a trusted name in stainless steel drainage solutions for over a decade. With a strong commitment to quality, innovation, and durability, we manufacture a wide range of drainage products, including:

- ✓ Shower Drain Channels
- ✓ Floor Drain Gratings
- ✓ Kitchen Drains
- ✓ Industrial Drains
- ✓ Pharmaceutical Scoops



We use high-grade stainless steel (304/316L) to ensure superior corrosion resistance, strength, and long-lasting performance.

Our drainage solutions are designed to withstand heavy usage while maintaining hygiene and efficiency, making them ideal for residential, commercial, and industrial applications.

At Siddhitech Stainless, we prioritize precision engineering, modern design, and customer satisfaction. Whether for luxury bathrooms, industrial facilities, or large-scale infrastructure projects, our products offer seamless drainage, easy maintenance, and aesthetic appeal.

## Why Choose Siddhitech Stainless ?



Over 15 Years of  
Industry Expertise



Manufactured with High-Grade  
Stainless Steel (304/316L)



Innovative & Custom  
Drainage Solutions



Durable, Corrosion-Resistant,  
and Easy to Maintain



Trusted by Architects,  
Builders, and Contractors



Premium-Quality  
Stainless Steel Products

Since our inception in 2009, we have been setting new benchmarks in high-performance drainage systems. Our dedication to excellence drives us to continually innovate and deliver the best solutions to our customers.

## Siddhitech Stainless Company – Where Strength Meets Flow.

## Premium Shower Drain Channels

### Where Function Meets Elegance

Upgrade your bathroom with our high-quality shower drain channels, designed for seamless water drainage and modern aesthetics. Crafted from premium SS 304 and SS 316 grade stainless steel, our drains offer exceptional durability, corrosion resistance, and long-lasting performance. This superior material choice ensures that your drain will withstand the rigours of daily use and maintain its pristine appearance for years to come, even in high-moisture environments. With innovative designs and effortless functionality, our collection ensures a sleek, hygienic, and efficient drainage solution for every space.




From minimalist linear drains that blend seamlessly with large-format tiles to discreet, point-drain options, our range caters to diverse design preferences and installation requirements. Each drain is engineered for optimal flow rates, preventing water pooling and promoting a cleaner, safer shower area. Experience the perfect blend of form and function, transforming your bathroom into a more sophisticated and practical oasis.

- ✓ Shower Channel drains are available in either side hole or center hole.
- ✓ Shower drains are also available in customised sizes
- ✓ Two types of shower drains are available :  
Without collar / With collar (above 100 mm width)
- ✓ Available in PVD colours: Black, Rose gold, Gold


Explore our range and elevate your shower experience!




**LINE SHOWER DRAIN**



**DELTA SHOWER DRAIN**




**WAVE SHOWER DRAIN**




Contents	Width	Height	Outlet
300/450/600/750/900/1000/1200/1500	60	21	42/44/50
300/450/600/750/900/1000/1200/1500	75	21	42/44/50
300/450/600/750/900/1000/1200/1500	80	21	42/44/50
300/450/600/750/900/1000/1200/1500	100	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	105	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	115	21	42/44/50/63/75/89/102
300/450/600/750/900/1000/1200/1500	125	21	42/44/50/63/75/89/102

Thickness : Base : 1 mm, Grating : 1.2 mm (Both can be customized)  
Drainage Direction : Side / Center



**AQUA SHOWER DRAIN**




Contents	Width	Height	Outlet
300/450/600/750/900/1000/1200/1500	60	21	42/44/50
300/450/600/750/900/1000/1200/1500	75	21	42/44/50
300/450/600/750/900/1000/1200/1500	80	21	42/44/50
300/450/600/750/900/1000/1200/1500	100	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	105	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	115	21	42/44/50/63/75/89/102
300/450/600/750/900/1000/1200/1500	125	21	42/44/50/63/75/89/102

Thickness : Base : 1 mm, Grating : 1 mm (Both can be customized)  
Drainage Direction : Side / Center

**BOLD SHOWER DRAIN**



**SLOT SHOWER DRAIN**




\* Choice of Outlet Location




\* Choice of Outlet Diameter




Regular / Tile Insert



Glass Top




**FLAG SHOWER DRAIN**



Contents	Width	Height	Outlet
300/450/600/750/900/1000/1200/1500	60	21	42/44/50
300/450/600/750/900/1000/1200/1500	75	21	42/44/50
300/450/600/750/900/1000/1200/1500	80	21	42/44/50
300/450/600/750/900/1000/1200/1500	100	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	105	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	115	21	42/44/50/63/75/89/102
300/450/600/750/900/1000/1200/1500	125	21	42/44/50/63/75/89/102

Thickness : Base : 1 mm, Grating : 1 mm (Both can be customized)  
Drainage Direction : Side / Center

**VARIO SHOWER DRAIN**



\* Choice of Outlet Location




\* Choice of Outlet Diameter




Regular / Tile Insert



Glass Top



**CHECKS SHOWER DRAIN**




**TILE INSERT SHOWER DRAIN**



Contents	Width	Height	Outlet
300/450/600/750/900/1000/1200/1500	60	21	42/44/50
300/450/600/750/900/1000/1200/1500	75	21	42/44/50
300/450/600/750/900/1000/1200/1500	80	21	42/44/50
300/450/600/750/900/1000/1200/1500	100	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	105	21	42/44/50/63/75/89
300/450/600/750/900/1000/1200/1500	115	21	42/44/50/63/75/89/102
300/450/600/750/900/1000/1200/1500	125	21	42/44/50/63/75/89/102

Thickness : Base : 1 mm, Grating : 1 mm (Both can be customized)  
Drainage Direction : Side / Center

**INVISIBLE TILE INSERT SHOWER DRAIN**



\* Choice of Outlet Location



Side Outlet



Centre Outlet

\* Choice of Outlet Diameter

W 84mm




63mm Dia

W 105mm



89mm Dia

Regular / Tile Insert



Glass Top



**TILE INSERT/PLAIN TOP SHOWER DRAIN (2 IN 1)**



## Superior Floor Drain Gratings

### Strength, Style & Efficiency


Engineered for both unwavering durability and superior performance, our premium floor drain gratings are the ultimate solution for efficient water drainage, all while significantly enhancing the aesthetics of any given space. We understand that a drain grating is not merely a functional component, but an integral part of a well-designed environment. Our meticulous engineering ensures that water is swiftly and effectively removed, preventing pooling and contributing to a safer, more hygienic area. This commitment to both form and function sets our gratings apart, making them a cornerstone for any contemporary design scheme.



At the heart of our gratings' exceptional quality lies the use of high-grade SS 304 and SS 316 stainless steel. This deliberate material choice is crucial, as it imbues our products with outstanding strength, remarkable corrosion resistance, and unwavering long-lasting reliability. Unlike inferior materials that succumb to rust and wear, our stainless steel gratings are designed to withstand the test of time, maintaining their structural integrity and polished appearance even in the most demanding conditions. This ensures a sound investment for residential, commercial, or industrial applications, promising years of trouble-free performance.

Our comprehensive collection of floor drain gratings is meticulously designed to withstand heavy loads and thrive in harsh environments, ensuring a seamless blend of robust functionality and sophisticated elegance. Whether it's the constant foot traffic of a busy commercial kitchen, the corrosive elements of an industrial facility, or the daily use in a modern residential bathroom, our gratings are built to perform. This versatility makes them ideal for a wide array of applications, providing a reliable and visually appealing drainage solution that complements and elevates the overall design of any setting.

**Explore our range and experience unmatched quality!**



**2 PC CLEAN OUT FLOOR DRAIN**



**3 PIECE GRATINGS FLOOR DRAIN**



(L) x (W)	Height (H)	Outlet (Dia)
80x80	15	50
100x100	15	50
125x125	15	102
150x150	18	102
200x200	18	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

**2 PC SCREW GRATING FLOOR DRAIN**



**2 PC SCREW DOWN GRATING SET**



(L) x (W)	Height (H)	Outlet (Dia)
80x80	15	50
100x100	15	50
125x125	15	102
150x150	18	102
200x200	18	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

**POP UP GRATINGS FLOOR DRAIN**




**TWIST LOCK FLOOR DRAIN WITH COCKROACH TRAP**



(L) x (W)	Height (H)	Outlet (Dia)
80x80	15	50
100x100	15	50
125x125	15	102
150x150	18	102
200x200	18	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

**FLOOR TRAPS DRAINS**



**GULLY DRAIN**



(L) x (W)	Height (H)	Outlet (Dia)
80x80	15	50
100x100	15	50
125x125	15	102
150x150	18	102
200x200	18	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

MARBEL INSERTED FLOOR DRAIN



STRAIGHT EDGE MARBLE INSERT FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
80x80	27	50
100x100	27	50
125x125	27	102
150x150	27	102
200x200	27	102

Thickness :  
Base : 1 mm, Tray : 1 mm  
(Both can be customized)

INVISIBLE TILE INSERTED WITH TRAP




(L) x (W)	Height (H)	Outlet (Dia)
80x80	20	50
100x100	20	50
125x125	20	102
150x150	20	102
200x200	20	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

AQUA FLOOR DRAIN



CHECK FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
80x80	20	50
100x100	20	50
125x125	20	102
150x150	20	102
200x200	20	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

GATE FLOOR DRAIN



SLOT FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
80x80	20	50
100x100	20	50
125x125	20	102
150x150	20	102
200x200	20	102

Thickness :  
Base : 1.2 mm, Grating: 1.2 mm  
(Both can be customized)

TILE INSERTED FLOOR DRAIN



TILE INSERTED FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
80x80	22	50
100x100	22	50
125x125	22	102
150x150	22	102
200x200	22	102

Thickness :  
Base : 1 mm, Tray: 1 mm  
(Both can be customized)

COCKROACH TRAPS



SLIT BASKET




Cockroach Trap

Outer Dia.	Height (H)	Outlet (Dia)
105mm	47mm	102mm

Slit Basket

Outer Dia.	Height (H)
95mm	50mm

MANHOLE LID FLOOR DRAIN



TRIANGLE DELTA FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
150x150	21	63

(Total H = 47mm)

TRIANGLE SLOT FLOOR DRAIN



TRIANGLE TILE INSERT FLOOR DRAIN



(L) x (W)	Height (H)	Outlet (Dia)
150x150	21	63

(Total H = 47mm)

## Premium Kitchen Drain Channels

### Hygienic, Durable & Efficient

Designed with a keen focus on superior drainage and uncompromising cleanliness, our kitchen drain channels stand as a testament to efficient water flow systems. We understand the critical importance of preventing clogs in a kitchen environment, and our channels are meticulously engineered to facilitate rapid and complete water evacuation, thereby maintaining a consistently hygienic workspace. This proactive approach to drainage not only streamlines kitchen operations but also significantly reduces the risk of bacterial growth and unpleasant odours, ensuring a fresh and sanitary environment for food preparation and handling.




The foundation of our kitchen drain channels' exceptional quality lies in their construction from premium SS 304 and SS 316 grade stainless steel. This deliberate selection of high-grade materials imbues our channels with outstanding corrosion resistance, remarkable durability, and an unparalleled capacity for long-lasting performance. Unlike conventional materials that might succumb to the harsh chemicals and constant moisture prevalent in kitchen settings, our stainless steel channels are built to endure, maintaining their structural integrity and pristine appearance even after years of rigorous use. This commitment to material excellence guarantees a reliable and robust drainage solution for any kitchen.

Perfectly suited for a diverse range of applications, from bustling residential kitchens to demanding commercial eateries and large-scale industrial food processing facilities, our drain channels seamlessly combine robust functionality with a sleek, contemporary design. Their low-profile aesthetic and efficient engineering make them an essential addition to any modern workspace, ensuring that cleanliness and efficiency are paramount. By integrating our kitchen drain channels, you invest in a solution that not only meets the highest standards of hygiene and performance but also contributes to the overall sophistication and operational fluidity of your kitchen environment.

**Explore our collection for the perfect drainage solution!**






(L) x (W)	Height (H)	Outlet (Dia)
300x300	75	102
600x300	75	102
450x450	75	102
300x300	150	102
600x300	150	102
900x300	150	102

Thickness : Base : 1.5 mm, Anti skid grating : 2/3 mm,  
Perforated Tray : 1 mm (Can be customized)  
Finish : Base: Passivation, Grating : electro polish





(L) x (W)	Height (H)	Outlet (Dia)
300x300	75	102
600x300	75	102
450x450	75	102
300x300	150	102
600x300	150	102
900x300	150	102

Thickness : Base : 1.5 mm, Anti skid grating : 2/3 mm,  
Perforated Tray : 1 mm (Can be customized)  
Finish : Base: Passivation, Grating : electro polish





DETAIL D  
SCALE 1 : 0.7




SECTION C-C  
SCALE 1 : 2

QTY - 1 NOS  
AVENUE

KITCHEN DRAIN - 1000X300X100HX1.5THK



SECTION A-A  
SCALE 1 : 2



ASSEMBLY OF KITCHENN DRAIN - 300X300X70HX1.5 MM THK

## High-Performance Industrial Drains

### Built for Strength & Efficiency

Engineered with an unwavering commitment to meeting the rigorous demands of industrial environments, our channel drains and slot drains are meticulously designed to provide superior water management solutions. We understand that in such demanding settings, efficient drainage is not just a convenience, but a critical component for maintaining a safe and hygienic workspace. Our designs ensure rapid and effective removal of liquids, preventing pooling, minimizing slip hazards, and contributing to a cleaner, more controlled operational area. This focus on high-performance water management is essential for industries where productivity and safety are paramount.




The cornerstone of our drains' exceptional resilience and longevity is their manufacturing from premium SS 304 and SS 316 grade stainless steel. This deliberate choice of high-grade materials provides our drainage solutions with unparalleled durability and superior corrosion resistance. Industrial environments often expose drainage systems to harsh chemicals, extreme temperatures, and heavy loads, yet our stainless steel construction ensures long-term reliability and structural integrity even in the most challenging conditions. This robust material guarantees that our drains will withstand the test of time, reducing the need for frequent replacements and costly maintenance.

Our comprehensive range of drainage solutions is ideally suited for a wide array of demanding industrial applications, including factories, high-volume commercial kitchens, stringent food processing units, dynamic breweries, and other high-traffic areas where robust performance is non-negotiable. Each channel and slot drain is specifically designed for maximum efficiency in liquid conveyance, easy maintenance to minimize downtime, and an impressive long-lasting performance that translates into significant operational savings. By integrating our industrial-grade drainage systems, businesses can ensure a consistently high standard of hygiene, safety, and operational efficiency within their critical workspaces.

**Discover our range of industrial drainage solutions built to perform!**



INDUSTRIAL CHANNEL DRAIN SYSTEM



(L) x (W)	Height (H)	Outlet (Dia)
1000x100	75	102
1000x100	100 (max)	102
1000x150	75	102
1000x150	150 (max)	102
1000x300	150	102
1000x300	300 (max)	102

✓ Note : For 100 mm Width, Max height will be 100 mm  
 Thickness: Base: 1.5 mm, Anti skid grating: 2/3 mm (Can be customized)  
 Finish: Base: Passivation, Grating: electro polish

INDUSTRIAL SS SLOT DRAIN SYSTEM



(L) x (W)	Height (H)	Outlet (Dia)
1000x100	75	102
1000x100	100 (max)	102
1000x150	75	102
1000x150	150 (max)	102
1000x300	150	102
1000x300	300 (max)	102


✓ Note : For 100 mm Width, Max height will be 100 mm  
 Thickness: Base: 1.5 mm, Anti skid grating: 2/3 mm (Can be customized)  
 Finish: Base: Passivation, Grating: electro polish

INDUSTRIAL SS SLOT DRAIN TOP AND HDPE BASE




(L) x (W)	Height (H)	Outlet (Dia)
1000x100	75	102
1000x100	100 (max)	102
1000x150	75	102
1000x150	150 (max)	102
1000x300	150	102
1000x300	300 (max)	102

✔ Note : For 100 mm Width, Max height will be 100 mm  
 Thickness: Base: 1.5 mm, Anti skid grating: 2/3 mm (Can be customized)  
 Finish: Base: Passivation, Grating: electro polish



**LINEAR BOX CHANNEL DRAIN ASSEMBLY**




**J-TYPE DRAIN CHANNEL ASSEMBLY**

PHARMA INDUSTRIAL DRAIN-  
DOUBLE SEAL WATER TRAP



DIAMETER	Height (H)	Outlet (Dia)
300mm	320mm	89mm
		114mm

✓ Note : For 100 mm Width, Max height will be 100 mm  
 Thickness: Base: 1.5 mm, Anti skid grating: 2/3 mm (Can be customized)  
 Finish: Base: Passivation, Grating: electro polish



INDUSTRIAL BOX CHANNEL




(L) x (W)	Height (H)	Outlet (Dia)
1000x100	75	102
1000x100	100 (max)	102
1000x150	75	102
1000x150	150 (max)	102
1000x300	150	102
1000x300	300 (max)	102


✓ Note : For 100 mm Width, Max height will be 100 mm

Thickness: Base: 1.5 mm, Anti skid grating: 2/3 mm (Can be customized)  
Finish: Base: Passivation, Grating: electro polish





## BOX CHANNEL DRAIN ASSEMBLY



## Pharmaceutical Scoops

### Precision, Hygiene & Durability

Engineered to uphold the highest standards of cleanliness and precision, our pharmaceutical scoops are meticulously designed for the safe and remarkably efficient handling of delicate powders, precise granules, and essential raw materials. In industries where product integrity is non-negotiable, our scoops provide the confidence and control necessary for accurate measurement and transfer. Every aspect of their design is considered, from the ergonomic grip to the precisely formed bowl, ensuring that operators can work with maximum efficiency while minimizing any potential for spillage or material degradation.



The uncompromising quality of our pharmaceutical scoops is rooted in their manufacturing from premium SS 316 grade stainless steel. This superior material is not merely a choice but a necessity, offering outstanding corrosion resistance that is critical for handling a diverse range of chemical compounds and maintaining sterility. Furthermore, SS 316 provides exceptional durability, ensuring that our scoops can withstand the rigorous cleaning protocols and constant use common in regulated environments. This robust construction also guarantees full compliance with the stringent industry regulations prevalent in pharmaceutical, food, and chemical sectors, providing peace of mind and supporting audit readiness.

Beyond their robust construction, our scoops feature a seamless, easy-to-clean design that is paramount for ensuring contamination-free operations. The absence of crevices or hidden seams eliminates potential traps for residues, allowing for thorough sterilization and preventing cross-contamination between batches or materials. This critical design feature makes our pharmaceutical scoops an indispensable tool for a wide array of industries, including pharmaceutical manufacturing, where purity is paramount; the food industry, where hygiene is a legal and ethical requirement; and the chemical industry, where precision and safety are key to successful processes.

**Discover our range of high-quality scoops for precision and reliability!**



INDUSTRIAL SCOOPS



PHARMA OPEN SCOOP

TYPE	ML
PHARMA OPEN SCOOP	250, 500, 1000, 1500, 2000
PHARMA CLOSE SCOOP	250, 500, 750, 1000, 1700, 2000
PHARMA SUGAR SCOOP	500, 1000, 1500, 2000
PHARMA SPOON	300, 600



PHARMA CLOSE SCOOP



PHARMA SUGAR SCOOP



PHARMA SPOON

## SLOT DRAIN SYSTEM



BEFORE INSTALLATION



BEFORE INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION

## CHANNEL DRAINAGE SYSTEM

## DLECTA FOODS PVT LTD



BEFORE INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION

## FLAG DESIGN GRATING



BEFORE INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION

## CHANNEL DRAIN SYSTEM WITH SQUARE BAR GRATING



BEFORE INSTALLATION



BEFORE INSTALLATION



AFTER INSTALLATION



AFTER INSTALLATION



## CONTACT US

- ☎ +91 99 6912 8887 / +91 98 5084 0165
- ✉ siddhitechexports100@gmail.com / siddhitech100@gmail.com
- 🌐 [www.siddhitechstainless.com](http://www.siddhitechstainless.com)
- 📍 Trimurti Ware Housing, Pune Satara Road, Near Durga Group Company,  
Gat No 715, Velu, Pune - 412205, MH, India



Scan to Visit Website